



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

DATE MAILED: 11/30/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/020,045	12/13/2001	John Herbert Stevens	PU010301	6251
75	590 11/30/2006	•	EXAM	INER
JOSEPH S. TRIPOLI			LAMBRECHT, CHRISTOPHER M	
THOMSON M	ULTIMEDIA LICENSINO	G INC.		
2 INDEPENDENCE WAY			ART UNIT	PAPER NUMBER
P.O. BOX 5312			2623	
PRINCETON	NT 08543-5312			

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)		
Office Action Summary	10/020,045 Examiner	STEVENS ET AL.		
•		Art Unit 2623		
The MAILING DATE of this communication app	Christopher M. Lambrecht ears on the cover sheet with the c			
Period for Reply		,		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	I.  lely filed  the mailing date of this communication.  D. (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on <u>06 Seconds</u> 2a) This action is <b>FINAL</b> . 2b) This 3) Since this application is in condition for allowant closed in accordance with the practice under Expression in the practice under Expr	action is non-final. ce except for formal matters, pro			
Disposition of Claims				
4) □ Claim(s) 1-22 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) □ Claim(s) 1-22 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or				
Application Papers				
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of the	epted or b) objected to by the E drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)	4) Interview Summary	(PTO-413)		
Police of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa	te		

#### **DETAILED ACTION**

## Response to Arguments

Applicant's arguments with respect to claims 1-22 have been considered but are moot in view of the new ground(s) of rejection.

### Claim Objections

Claim 3 is objected to because of the following informalities: At line 1 of claim 3, replace "television" with --video--. Appropriate correction is required.

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuchida (of record) in view of Karlton et al. (Karlton), U.S. Patent no. 5,835,717.

Regarding claim 1, Tsuchida discloses a system (STB 152a, figs.1-3) for automatically switching to an interactive application during commercial breaks in video programming comprising: an interactive application module (¶ 57) capable of executing an interactive application program ("browser", ¶ 71) and generating output data ("web pages", *id.*); a video program module (network interface 300, fig.3) that generates a video program signal (¶ 51);

Art Unit: 2623

an input module (remote control unit 158, figs.1,2) for entering user input commands into the interactive application module (¶ 53); a break detection module adapted to detect a commercial break in the video program signal (¶ 60) and generate a break beginning signal (¶ 73); a display module ("display engine", ¶ 66) having a primary display area capable of receiving the video program signal and the interactive application output data and displaying a primary display image corresponding to either the video program signal or the interactive application output data (*id.*); and a switching module that switches the primary display image to the interactive application output data upon receiving the break beginning signal (¶ 73) so that upon detecting the beginning of a commercial break, the interactive application output data is automatically presented in the primary display area (¶¶ 91, 93, 94).

Tsuchida does not disclose automatically saving and restoring a user's progress in operation of said interactive program upon activation and termination of a second interactive application, as claimed.

However, in an analogous art, Karlton discloses a system that, upon activation of a second interactive application, automatically saves a user's progress in the operation of said interactive program in a memory as to allow the user to use a second interactive application, and restoring said user's progress of said interactive program by accessing said memory to retrieve information corresponding to said user's progress (col. 5, line 40 - col. 6, line 32). Karlton further discloses that the disclosed system enables the user to leave a particular application-state temporarily and return at a later time (col. 1, lines 50-64, col. 6, lines 35-63).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Tsuchida to automatically saving a user's progress in the operation of said interactive program in a memory upon activation of a second interactive application and restore said user's progress of said interactive program by accessing said memory, as taught by Karlton, for the benefit of providing convenience to the user.

As to claim 2, Tsuchida in view of Karlton discloses the system of claim 1 wherein the break detection module is further adapted to generate a break end signal either automatically upon detecting or determining the end of a television commercial break or manually upon a viewer's election, wherein the switching module switches the primary display image back to the video program signal upon receiving the break end signal so that the video program signal is presented in the primary display area (Tsuchida, ¶¶ 95, 96).

As to claim 3, Tsuchida in view of Karlton teaches the system of claim 1 wherein the video program module is a television receiver (receives cable television signal; Tsuchida, ¶ 51).

As to claim 4, Tsuchida in view of Karlton discloses The system of claim 1 wherein the interactive application program is an internet browser program (Tsuchida, ¶ 71).

As to claim 5, Tsuchida in view of Karlton teach the system of claim 1 wherein the input module (158) is a hand-held controller (Tsuchida, figs.1, 2).

As to claim 6, Tsuchida in view of Karlton discloses the system of claim 2 wherein the interactive application module comprises: a program memory for storing the interactive

application program (Tsuchida, fig.3, 330a); a central processing unit (*id.*, 310) which executes the interactive application program in accordance to the user input commands; an input command interface (*id.*, 157) for receiving the user input commands from the input module and transferring the user input commands to the central processing unit; said memory for storing a user's point of progress in executing the interactive application program (Karlton: col. 4, lines 5-7, col. 5, lines 59-67); and a data output means for outputting image and sound data in accordance with the execution of the interactive application program (Tsuchida, figs. 1, 2, TV 154).

As to claim 7, Tsuchida in view of Karlton discloses the system of claim 6 wherein a user's point of progress in executing the interactive application program is automatically stored in the memory when the switching module switches the primary display image to the television program signal (Karlton, col. 5, lines 26-30), wherein execution of the interactive application program is resumed from the user's stored point of progress in the memory when the switching module switches the primary display image back to the interactive application output data (*id.*, lines 30-35.

As to claim 8, Tsuchida in view of Karlton discloses the system of claim 6 wherein the input command interface is an infrared photosensor and the input module is one or more hand held remote controllers which emit infrared signals (Tsuchida, ¶ 43).

As to claim 9, Tsuchida in view of Karlton discloses the system of claim 6 wherein the program memory is an integrated circuit (Tsuchida, ¶ 122).

As to claim 10, Tsuchida in view of Karlton discloses the system of claim 6 wherein the program memory is a local memory connected to a remote program source that stores a multitude of interactive application programs (Tsuchida, ¶ 71), wherein the system comprises means to download interactive application programs from the remote program source to the local memory (Karlton, col. 4, lines 52-62).

As to claim 11, Tsuchida in view of Karlton discloses the system of claim 10 wherein the means to download is connected to the internet (Tsuchida, ¶ 71).

As to claim 12, Tsuchida in view of Karlton discloses the system of claim 10 wherein the selection and downloading of specific interactive application programs from the remote program source to the internal memory device is controlled by the input commands entered by the user via the input module (Karlton, col. 4, lines 56-62).

As to claim 13, Tsuchida in view of Karlton discloses the system of claim 1 further comprising means to deactivate the switching module and to manually select either the video program signal or the interactive application output data as the primary display image (Tsuchida, ¶ 75).

As to claim 14, Tsuchida in view of Karlton discloses the system of claim 1 wherein the display module is a television or a computer monitor having a display screen (Tsuchida, TV 154).

As to claim 15, Tsuchida in view of Karlton discloses the system of claim 14 wherein the primary display area can be the entire display screen of the television or computer

Art Unit: 2623

monitor or can be an area constituting a majority of the display screen in televisions and computer monitors with picture-in-picture capabilities (Tsuchida, ¶¶ 66-69).

As to claim 16, Tsuchida in view of Karlton discloses the system of claim 1 wherein the display module is a television or computer monitor with picture-in-picture capability having a secondary display area for displaying a secondary display image in addition to the primary display area for presenting the primary display image, wherein the switching module switches the displays of the primary display image and the secondary display image between the television program signal and the interactive application output data so that the television program is presented as the primary display image and the interactive application is displayed as the secondary display image until the beginning of a commercial break is detected, whereupon the detection of the beginning of a commercial break the interactive application output data is presented as the primary display image and the television program signal is displayed as the secondary display image until the end of the commercial break is detected, whereupon the detection of the end of the commercial break the television program signal is presented as the primary display image and the interactive application output data is displayed as the secondary display image and the interactive application output data is

2. Claims 17, 18, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuchida in view of Allen et al. (Allen), U.S. Patent Application Publication no. 2003/0041331.

Application/Control Number: 10/020,045

Art Unit: 2623

Regarding claim 17, Tsuchida discloses the claimed steps as applied to the system of claims 1-16, above. In addition, Tsuchida discloses that received information corresponding to said video program is stored during part of the period when said interactive application is being used, and playing back said stored information in said primary area when said interactive application is terminated (¶ 76).

Tsuchida does not disclose dropping at least one frame of video from said stored information until said video program can be presented in real time.

However, in an analogous art, Allen discloses a system and method of storing a video program while executing an interactive application (¶ 88) and playing back the stored program when the application is terminated, dropping at least one frame of video from the stored program until said video program can be presented in real time (¶¶ 92-94). Allen further discloses that this function enables a user to "catch up" with the real-time signal if desired.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Tsuchida to include dropping at least one frame of video from said stored information until said video program can be presented in real time, as taught by Allen, for the benefit of providing convenience to the user.

As to claim 18, Tsuchida in view of Allen discloses the method of claim 17 wherein a the break detection module can also detect the end of television commercial breaks and wherein the interactive application is presented in the primary display area until the end of

the television commercial break is detected and then presenting the television program in the primary display area (Tsuchida, ¶¶ 95, 96).

As to claim 22, Tsuchida in view of Allen discloses the claimed method (see Tsuchida as applied to claim 16, above).

3. Claims 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuchida in view of Allen and Karlton as applied to claims 1 and 18, above.

As to claim 19, Tsuchida in view of Allen and Karlton discloses the method of claim 18 wherein the interactive application module comprises: a program memory for storing the interactive application program; a central processing unit which executes the interactive application program in accordance to the user input commands; an input command interface for receiving the user input commands from an input module and transferring the user input commands to the central processing unit; a memory for storing a user's point of progress in executing the interactive application program; and a data output means for outputting image and sound data in accordance with the execution of the interactive application program (see Tsuchida and Allen as applied to claim 18, above; Tsuchida and Karlton as applied to claims 1 and 6, above).

As to claim 20, Tsuchida in view of Allen and Karlton discloses the method of claim 19 further comprising the step of automatically storing a user's point of progress in executing the interactive application program in the pause memory when the television program is presented in the primary display area, wherein execution of the interactive

application program is resumed from the user's stored point of progress in the memory when the interactive application is presented in the primary display area (see Tsuchida and Karlton as applied to claim 7, above).

As to claim 21, Tsuchida in view of Allen and Karlton discloses the method of claim 19 wherein interactive application programs are downloaded to and stored locally in the program memory (see rejection of claim 10, above).

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following documents describe system and methods for switching

interactive television programs: Daniels, U.S. Patent Application Pub. No. 2002/0032907; Menand et al., U.S. Patent No. 5,539,920; Del Sesto et al., U.S. Patent No. 7,069,571; Allibhoy et al., U.S. Patent No. 5,818,440.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher M. Lambrecht whose telephone number is (571) 272-7297. The examiner can normally be reached on Mon-Fri, 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Miller can be reached on (571) 272-7353. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Christopher M. Lambrecht Examiner

Art Unit 2623

/cml/

JOHN MILLER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600